EXPOBAR

ZIRCON







Zircon

The ZIRCON range was created to cover all possible environments from where great coffee is required to be served. Models offered start from the super space conscious I group featuring an integral grinder, going right through to a 3 group espresso powerhouse. Regardless of the model, you can be assured that all are built using the well-known and trusted Expobar technology, expertise and craftsmanship. In other words, you are guaranteed machines of the highest quality that makes the barista's work much easier.



Keypad Control



High Quality Components



Espresso Cup Stand

Focus on Expobar

With taste and quality in focus, Crem International manufactures and markets the Expobar brands. Expobar offers traditional espresso machines of the highest quality. With development and production in our own factories, we offer modern and innovative coffee and beverage solutions for tomorrow's needs in hotels, restaurants and café, at work and in public spaces, where only the best is good enough.



EXPOBAR ZIRCON

Variations



Compact | Group



Compact 2 Group



2 Group



3 Group



I Group Integral



2 Group Integral



Details

Features

- Built-in volumetric motor pump, equipped with two retention valves and solid particles filter
- Copper boiler with pressure relief valve
- Boiler draintap(except compact)
- Group head with direct pre-infusion chamber
- One steam arm and one hot water tap I group
- Two steam arms and one hot water tap in all 2 & 3 group models

Integral grinder

- Automatic grinder
- 60mm diameter cutting blades
- Motor 445W provided with thermic protection at I300rpm
- Adjustable dose from 5 to 12g

Control

- 4 different programmable coffee doses per group
- Auto-fill water boiler
- Automatic back-flush grouphead
- Water pump low water level autocut-off
- Boiler low water level warning light
- · Heating element low water level autocut-off

Supplied accessories

- I single filter handle. I cup stand
- Compact machine, I double filter handle
- 2-group machine, 2 double filter handles
- 3-group machine, 3 double filter handles
- 0.55 metre filter hose. I.5 metre waste hose
- · I cleaning membrane

Technical Specifications

Group	Power supply	Boiler (litres)	Width mm	Depth mm	Height mm
I Group Compact	2780W 230VIN~	6	460	590	530
2 Group Compact	2780W 230VIN~	6	460	590	530
2 Groups	3330W 230VIN~	11.5	680	590	530
3 Groups	6290W 400V3N~	17.5	980	590	530
I Group Integral Grinder	3125W 230VIN~	6	460	590	630
2 Group Integral Grinder	3685W 230VIN~	11.5	680	590	630

Grinders



Mignon Grinder



Brasil Grinder



Marfil Grinder



Expobar Club Grinder



Expobar Zenith On Demand



Expobar Olympus

